DHI-ARK20C-MW



Wireless Alarm Keypad



Feature

- 20 keys and LCD screen support with backlight
- Bi-directional communication
- Up to 700m transmission distance (open space/no interference)
- Tamper switch equipped & leaving-wall protection
- 1.5 years battery life
- Wall mount

Technical Specifications

Model	DHI-ARK20C-MW
Name	Wireless alarm keypad
Wireless Frequency	433MHz
Transmit power	10dBm
Transmit Distance	700m(open area/no interference)
Tamper	Unit protection and leaving-wall protection
Power	2x CR123A Battery, 3V
Installation	Portable, wall mount
Dimensions	143*82*23 mm(L*W*H)
Weight	0.25kg
Temperature	-10°C∼50°C








Humidity	< 95%
----------	-------

Dimensions
















Key




Figure 错误!文档中没有指定样式的文字。-1





DHI-ARK20C-MW

Key	Name	Note
*138	Menu	Click this key to:
		Enter main menu
		Enter *.
a	Arm	This key is used to quickly arm.
		Note:
		Valid in homepage only.
(a)	Home Arm	This key is used to quickly arm at home.
		Note:
		Valid in homepage only.
f Dis		This key is used to quickly disarm.
	Disarm	Note:
		Valid in homepage only.
(\$0\$)	Emergency	Long press this key for 3s, buzzer starts to alarm, and
	Alarm	send alarm info to controller.
(†	Return	Click this key, you can:
		Wireless match code.
		Delete wrong input
		Back to previous menu.
	Page Up	In menu, click this key to page up.
Pag		Click this key, you can:
	Page Down	In menu, click this key to page down.
		 Long press this key to view zone alarm info.
(OK)	ОК	Click this key, you can:
		Enter sub menu
		Save setup.
		Restart keypad.

